

Opprette WordPress på org og folk vha. wp-cli

Skisse til enkel oppskrift

Orgweb

Nettsider som befinner seg under subdomenet org.ntnu.no og som kan bestilles under [Enkel samhandling](#)

Installasjon

```
GROUPNAME=webdrift

mysql-useradm create "stud_${GROUPNAME}_wpadmin"
mysql-useradm passwd "stud_${GROUPNAME}_wpadmin"

mysql-dbadm create "stud_${GROUPNAME}_wordpress"
mysql-dbadm editperm "stud_${GROUPNAME}_wordpress"

#NB! Gruppa må ha skriverettighet
umask u=rwx,g=rwx,o=x

cd "/home/groupswww/${GROUPNAME}" || exit

wp core download
wp config create --dbname="stud_${GROUPNAME}_wordpress" \
  --dbuser="stud_${GROUPNAME}_wpadmin" \
  --dbhost=mysql.ansatt.ntnu.no \
  --prompt=dbpass
wp config set FS_METHOD direct
wp config set FS_CHMOD_DIR 02771 --raw
wp config set FS_CHMOD_FILE 0660 --raw
wp core install --url="https://${GROUPNAME}.org.ntnu.no" \
  --title="${GROUPNAME} sin WordPress" \
  --admin_user="${USER}" \
  --admin_email="${EMAIL}"
```

Folkweb

Nettsider som brukerne selv kan installere og bruke under subdomenet <https://brukernavn.folk.ntnu.no/> (og <https://folk.ntnu.no/brukernavn/>). Mulig vi etterhvert vil fase ut sistnevnte siden det gir mindre fleksibilitet mht. implementasjon.

Last update: Wed Mar 6 12:14:35 2024
opprette_wordpress_pa_org_og_folk_vha._wp-cli https://webdrift.org.ntnu.no/dokuwiki/opprette_wordpress_pa_org_og_folk_vha._wp-cli

Installasjon

```
mysql-useradm create "${USER}_wpadmin"
mysql-useradm passwd "${USER}_wpadmin"

mysql-dbadm create "${USER}_wordpress"
mysql-dbadm editperm "${USER}_wordpress"

# NB! På folkweb trenger kun bruker skriverettigheter
umask u=rwx,g=x,o=x

cd "/web/folk/${USER}" || exit

wp core download
wp config create --dbname="${USER}_wordpress" \
  --dbuser="${USER}_wpadmin" \
  --dbhost=mysql.ansatt.ntnu.no \
  --prompt=dbpass
wp config set FS_METHOD direct
wp config set FS_CHMOD_DIR 0711 --raw
wp config set FS_CHMOD_FILE 0600 --raw
wp core install --url="https://${USER}.folk.ntnu.no" \
  --title="$(getent passwd "${USER}" | cut -d: -f5) sin WordPress" \
  --admin_user="${USER}" \
  --admin_email="${EMAIL}"
```

Oppdatering

Oppdatere wordpress-installasjoner som har blitt hengende etter

```
cd "/web/folk/${USER}" || exit

wp config set FS_METHOD direct
wp config set FS_CHMOD_DIR 0711 --raw
wp config set FS_CHMOD_FILE 0600 --raw

wp core update
wp core update-db
wp plugin update --all
wp plugin auto-updates enable --all
wp theme update --all
```

Cron

Kontinuerlig oppdatering vha cron:

```
cd "/web/folk/${USER}" || exit
wp config set DISABLE_WP_CRON true --raw
```

```
crontab -e
```

```
*/5 * * * * cd /web/folk/$LOGNAME ; /local/admin/bin/wp cron event run --due-now >> $HOME/log/wp-cron-$(/bin/date -I) 2>&1
```

From:

<https://webdrift.org.ntnu.no/dokuwiki/> - Webdrifts Dokuwiki-test



Permanent link:

https://webdrift.org.ntnu.no/dokuwiki/opprette_wordpress_pa_org_og_folk_vha._wp-cli

Last update: **Wed Mar 6 12:14:35 2024**